



Create your dream space.  
**Create your home.**





The kitchen hood is an integral part of every home. Combining an elegant look with high quality and functionality, it should meet the expectations of demanding consumers. This is our philosophy, which we have been successfully implementing on Polish and European markets for 40 years. We are a leading, family-owned, Polish company specializing in the production of kitchen hoods. We create environmentally friendly, technologically and aesthetically advanced devices that purify the air in your kitchen.



**CREATE YOUR DREAM SPACE**  
**CREATE YOUR HOME**





## POLISH COMPANY

The Maan company is a Polish manufacturer of kitchen hoods with over 40 years of experience. We are happy and proud that we are building the Polish industry, that we employ local workers, that we are able to stay on the difficult market by producing hoods in our beautiful country.



## OVER 40 YEARS ON THE MARKET

Our collection of hoods is not only the latest design trends. For over 40 years, we have been introducing technological innovations on an ongoing basis, which makes our hoods modern and reliable. This period is our pride. We hope that thanks to you we will celebrate the next anniversaries.



## GUARANTEE OF QUALITY

The Maan company guarantees its customers the highest quality of all its products. Thanks to many years of experience and the use of the latest technologies, the company is able to ensure long-term reliability of the products we offer. All products are carefully designed and tested before launching on the market and come with a 2-year warranty.



## CREATE YOUR DREAM SPACE CREATE YOUR HOME

More than just a slogan, it's an idea of creating an interior that reflects your personality and lifestyle. In today's world, the kitchen is the heart of the home, where delicious dishes and beautiful moments with loved ones are born. That's why a properly designed and functional kitchen hood is such an important element, which not only effectively removes odors and smoke but also influences the aesthetics and functionality of the entire space.



## ISO 9001 | 14001

The Quality Management System ISO 9001 has been functioning in our company since 2010. The procedures created as part of the system and verified annually cover basic processes, including design, construction work, production, sales, and after-sales service. The certification of the Environmental Management System, which involves the introduction of the ISO 14001 standard, is a crucial step towards achieving sustainable development and environmental protection. It allows the company to not only comply with legal requirements but also brings numerous operational and competitive benefits.

## Hoods tube

### ELBA WPB 731


Type of hood: Chimney/Wall

Width: 31 cm

Energy class: C

Volume: 46 - 63 [db(A)].

Capacity: 140 - 310 [m3/h].



## Hoods cartridges

### HYPERION PLUS 60

Type of hood: Cartridge

Width: 52 cm

Energy class: B

Volume: 50 - 63 [db(A)].

Capacity: 255 - 625 [m3/h].







## New „dimension” undercabinet hoods

### ELBA MINI WPB 431


Type of hood: Undercabinet/Wall

Width: 31 cm

Energy class: C

Volume: 47 - 61 [db(A)].

Capacity: 120 - 300 [m3/h].



## Supplementing offer of hoods

### INDUCTION HOBS

Dimensions: 52 × 59 × 6.2 cm

Heating zones: 4

Combining heating fields: Yes

Booster: Yes

Control: Touch control

## Learn more about our products:

### Telescopic hoods




page 7

### Hoods cartridges




page 10

### Chimney wall hoods



page 17

### Island hoods



page 31

### Undercabinet hoods



page 35

### Induction hobs



page 36

### Accessories



page 38




## Telescopic hoods



50 ↔

SATIN

### CORONA 2 50



Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Noise Level [dB(A)]  
Number of working speeds

Telescopic  
50 cm  
Painted steel/Satin  
Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]  
VR 180  
Mechanical  
1 x LED 5W (3800K) led strip  
C  
310  
50-63  
3

Index: OCORM50LET.S3.MC.SA.RSA\_EO  
EAN: 5901703837762


60 ↔

### CORONA 2G 60



BLACK

Index: OCORM60LFT.S3CZ.MC.SB\_EO  
EAN: 5901703830510



Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Min-max volume [dB(A)]  
Number of working speeds

Telescopic  
60 cm  
Painted steel/Front glass  
Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]  
VR 180  
Mechanical  
1 x LED 5W (3800K) led strip  
C  
315  
49-63  
3


WHITE

Index: OCORM60LFT.S3.BI.SW\_EO  
EAN: 5901703837779

50 ↔

BLACK

## CORONA 2 G 50



Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Noise Level [dB(A)]  
Number of working speeds


Telescopic  
50 cm  
Black glass front  
Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]  
Mechanical  
VR 180  
1 x LED 5W (3800K) led strip  
C  
310  
49-63  
3

Index: OCORM50LET.S3.MC.SB\_EO  
EAN: 5901703837786

60 ↔

SATIN

## CORONA 2 60



Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Noise Level [dB(A)]  
Number of working speeds

Telescopic  
60 cm  
Painted steel/Satin  
Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]  
Mechanical  
VR 180  
1 x LED 5W (3800K) led strip  
C  
315  
49-63  
3

Index: OCORM60LFT.S3.MC.SA.RSA\_EO  
EAN: 5901703837793

60 ↔

## CORONA 2 TOUCH 60




BLACK

Index: OCORM60LFUW.S3CZ.MC.SB\_EO  
EAN: 5901703830527



WHITE

Index: OCORM60LFUW.S3.BI.SW\_EO  
EAN: 5901703837809




Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Noise Level [dB(A)]  
Number of working speeds

Telescopic  
60 cm  
Painted steel/Front glass  
Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]  
VR 180  
Touch/Sensor, illuminated icons  
1 x LED 5W (3800K) led strip  
C  
315  
53-63  
3



60 ↔ BLACK

## CORONA BIS 60




Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Noise Level [dB(A)]  
Number of working speeds

Telescopic  
60 cm  
Painted steel/Front glass  
Exhaust or absorber [ 2 FDUEEL carbon filters required ]  
VR 220  
Mechanical  
1 x LED 5W (3800K) led strip  
B  
635  
48-68  
3

Index: OCORB60JGT.S3CZ.MC.SB\_EO  
EAN: 5901703828395

60 ↔ BLACK

## CORONA TOUCH BIS 60



Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Noise Level [dB(A)]  
Number of working speeds

Telescopic  
60 cm  
Painted steel/Front glass  
Exhaust or absorber [ 2 FDUEEL carbon filters required ]  
VR 220  
Touch/Sensor, illuminated icons  
1 x LED 5W (3800K) led strip  
B  
635  
48-68  
3

Index: OCORB60JGUW.S3CZ.MC.SB\_EO  
EAN: 5901703828616

## Hoods cartridges



## FIUGI 50/60

50 ↔



60 ↔




### BLACK

Index: OFIU250D4PC.S3CZ.MC\_EO  
EAN: 5901703837229

### BLACK

Index: OFIU260D4PC.S3CZ.MC\_EO  
EAN: 5901703837236



Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Noise Level [dB(A)]  
Number of working speeds

Undercabinet/cartridge  
50 / 60 cm  
Steel painted  
Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]  
VR 180  
Mechanical  
2 x LED 3W (GU10)  
D  
320  
45-61  
3



50 ↔

## FIUGI L 50

**BLACK**


Index: OFIU250LEPC.S3CZ.MC\_EO  
EAN: 5901703834877

**SATIN**

Index: OFIU250LEP.S3.SA\_EO  
EAN: 5901703834884

**WHITE**

Index: OFIU250LEP.S3.BI\_EO  
EAN: 5901703834860



Hood type

Width

Finishing of the hood

Operating mode

Dedicated plasma filter

Control

Lighting

Energy class

Max capacity [m3/h]

Noise Level [dB(A)]

Number of working speeds

Undercabinet/cartridge

50 cm

Painted steel

Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]

VR 180

Mechanical

1 x LED 5W (3800K) led strip

C

310

51-59

3

60 ↔

## FIUGI L 60

**BLACK**


Index: OFIU260LEPC.S3CZ.MC\_EO  
EAN: 5901703834907

**SATIN**

Index: OFIU260LEP.S3.SA\_EO  
EAN: 5901703834914

**WHITE**

Index: OFIU260LEP.S3.BI\_EO  
EAN: 5901703834891



Hood type

Width

Finishing of the hood

Operating mode

Dedicated plasma filter

Control

Lighting

Energy class

Max capacity [m3/h]

Noise Level [dB(A)]

Number of working speeds

Undercabinet/cartridge

60 cm

Painted steel

Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]

VR 180

Mechanical

1 x LED 5W (3800K) led strip


C

310

51-59

3

52 ↔



## FIUGI MODULAR 52

BLACK

Hood type	Undercabinet/cartridge
Width	52 cm
Finishing of the hood	Painted steel
Operating mode	Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]
Dedicated plasma filter	VR 180
Control	Mechanical
Lighting	2 x LED 3W (GU10)
Energy class	C
Max capacity [m3/h]	315
Noise Level [dB(A)]	48-64
Number of working speeds	3

Index: OFIU252D4PC.S3CZ.MC\_EO  
EAN: 5901703837755

## TYTAN 2 60

60 ↔



BLACK


Index: OTYTP260JEP.C.S3CZ.MC.SB\_EO  
EAN: 5901703828609

60 ↔



WHITE


Index: OTYTP260JEP.S3BI.BI.SW\_EO  
EAN: 5901703829415



Hood type	Undercabinet/cartridge
Width	60 cm
Finishing of the hood	Black glass
Operating mode	Exhaust or absorber [ 2 FDUEEL carbon filters required ]
Dedicated plasma filter	VR 220
Control	Mechanical
Lighting	1 x LED 5W (3800K) led strip
Energy class	B
Max capacity [m3/h]	610
Noise Level [dB(A)]	52-68
Number of working speeds	3



60 ↔




## TYTAN 2 400 L 60

BLACK

Hood type	Undercabinet/cartridge
Width	60 cm
Finishing of the hood	Black glass
Operating mode	Exhaust or absorber [ 2 FDUEEL carbon filters required ]
Dedicated plasma filter	VR 220
Control	Mechanical
Lighting	1 x LED 5W (3800K) led strip
Energy class	C
Max capacity [m3/h]	415
Noise Level [dB(A)]	49-65
Number of working speeds	3

Index: OTYTP260IEPC.S3CZ.MC.SB\_EO  
EAN: 5901703838684

52 ↔




## TYTAN MODULAR 52

BLACK

Hood type	Undercabinet/cartridge
Width	52 cm
Finishing of the hood	Black glass
Operating mode	Exhaust or absorber [ 2 FDUEEL carbon filters required ]
Dedicated plasma filter	VR 180
Control	Mechanical
Lighting	1 x LED 5W (3800K) led strip
Energy class	B
Max capacity [m3/h]	310
Noise Level [dB(A)]	46-63
Number of working speeds	3

Index: OTYTP52DEPC.S3CZ.MC.SB\_EO  
EAN: 5901703837748

60 ↔




## ARES M 60

BLACK

Hood type	Undercabinet/cartridge
Width	60 cm
Finishing of the hood	Painted steel
Operating mode	Exhaust or absorber [ 2 FDUEEL carbon filters required ]
Dedicated plasma filter	VR 220
Control	Mechanical
Lighting	1 x LED 5W (3800K) led strip
Energy class	B
Max capacity [m3/h]	570
Noise Level [dB(A)]	47-61
Number of working speeds	3

Index: OAREP60JFPC.S3.MC.MCK\_EO  
EAN: 5901703830565

60 ↔



## ARES M 60 SOFT TOUCH


SATIN

Hood type	Undercabinet/cartridge
Width	60 cm
Finishing of the hood	Stainless steel inox
Operating mode	Exhaust or absorber [ FWORNAK carbon filter required ]
Dedicated plasma filter	VR 220
Control	Electronic with display + remote control
Lighting	1 x LED 5W (3800K) led strip
Energy class	B
Max capacity [m3/h]	570
Noise Level [dB(A)]	47-61
Number of working speeds	4



Index: OAREP60JFSW.S3.SA.SK\_EO  
EAN: 5901703830541

60 ↔



## ARES 60 SOFT TOUCH


BLACK

Hood type	Undercabinet/cartridge
Width	60 cm
Finishing of the hood	Frame painted steel, flap black glass
Operating mode	Exhaust or absorber [ FWORNAK and FWOR carbon filter required ]
Dedicated plasma filter	VR 220
Control	Electronic with display + remote control
Lighting	1 x LED 5W (3800K) led strip
Energy class	B
Max capacity [m3/h]	570
Noise Level [dB(A)]	47-61
Number of working speeds	3

Index: OAREP60JFSW.S3.MC.KSB\_EO  
EAN: 5901703830572



60 ↔



## HELIOS 60 TOUCH


BLACK

Hood type	Undercabinet/cartridge
Width	60 cm
Finishing of the hood	Black glass
Operating mode	Exhaust or absorber [ 2 FDUEEL carbon filters required ]
Dedicated plasma filter	VR 220
Control	Premium sensor/touch backlit + remote control
Lighting	1 x LED 5W (3800K) led strip
Energy class	B
Max capacity [m3/h]	595
Noise Level [dB(A)]	46-59
Number of working speeds	4

Index: OHEL60JGRW.S3.MC.KSB\_EO  
EAN: 5901703834211



60 ↔




## HELIOS 60 PUSH BUTTON

BLACK

Hood type	Undercabinet/cartridge
Width	60 cm
Finishing of the hood	Black glass
Operating mode	Exhaust or absorber [ 2 FDUEEL carbon filters required ]
Dedicated plasma filter	VR 220
Control	Mechanical
Lighting	1 x LED 5W (3800K) led strip
Energy class	B
Max capacity [m3/h]	595
Noise Level [dB(A)]	46-59
Number of working speeds	3

Index: OHEL60JGPC.S3.MC.KSB\_EO  
EAN: 5901703834228

60 ↔




## TETYDA 60

BLACK

Hood type	Undercabinet/cartridge
Width	60 cm
Finishing of the hood	Black glass
Operating mode	Exhaust or absorber [ 2 FDUEEL carbon filters required ]
Dedicated plasma filter	VR 220
Control	Mechanical
Lighting	1 x LED 5W (3800K) led strip
Energy class	B
Max capacity [m3/h]	555
Noise Level [dB(A)]	49-69
Number of working speeds	3

Index: OTETP60JFPC.S3.MC.KSB\_EO  
EAN: 5901703828630

52 ↔




## HYPERION 60

BLACK

Hood type	Undercabinet/cartridge
Width	52 cm
Finishing of the hood	Black glass
Operating mode	Exhaust or absorber [ 2 FDUEEL carbon filters required ]
Dedicated plasma filter	VR 220
Control	Touch/Sensor, illuminated icons
Lighting	1 x LED 5W (3800K) led strip
Energy class	C
Max capacity [m3/h]	425
Noise Level [dB(A)]	52-68
Number of working speeds	3

Index: OHYP52IFUW.S3CZ.MC.KSB\_EO  
EAN: 5901703837533

60 ↔




## HYPERION PLUS 60

BLACK

Hood type	Undercabinet/cartridge
Width	52 cm
Finishing of the hood	Painted steel/glass
Operating mode	Exhaust or absorber [ 2 FDUEEL carbon filters required ]
Dedicated plasma filter	VR 220
Control	Premium sensor/touch illuminated + remote control
Lighting	1 x LED 5W (3800K) led strip
Energy class	B
Max capacity [m3/h]	625
Noise Level [dB(A)]	50-63
Number of working speeds	4


Index: OHYP52JFRW.S3CZ.MC.KSB\_EO  
EAN: 5901703837540



## Wall-mounted Chimney Hood



60 ↔




### ZETKA 2 400 60

BLACK

Hood type	Wall-mounted Chimney
Width	60 cm
Finishing of the hood	Painted body, glass flap
Operating mode	Exhaust or absorber [ 2 FDUEEL carbon filters required ]
Dedicated plasma filter	VR 220
Control	Mechanical
Lighting	1 x LED 5W (3800K) led strip
Energy class	B
Max capacity [m3/h]	620
Noise Level [dB(A)]	51-69
Number of working speeds	3

Index: OZET260IFPK.S3.MC.KSB\_EO  
EAN: 5901703838875

60 ↔



### ZETKA 60

BLACK

Hood type	Wall-mounted Chimney
Width	60 cm
Finishing of the hood	Painted body, glass flap
Operating mode	Exhaust or absorber [ 2 FDUEEL carbon filters required ]
Dedicated plasma filter	VR 180
Control	Mechanical
Lighting	1 x LED 5W (3800K) led strip
Energy class	C
Max capacity [m3/h]	420
Noise Level [dB(A)]	51-67
Number of working speeds	3

Index: OZET60JFPK.S3.MC.KSB.NS\_EO  
EAN: 5901703828197



50 ↔ 60 ↔

## MIX 3 50/60

**SATIN**

Index: OXT250DEP.S3.SA\_EO  
EAN: 5901703830701

Index: OXT260DEP.S3.SA\_EO  
EAN: 5901703830732

**BLACK**


Index: OXT250DEPC.S3.MC\_EO  
EAN: 5901703830688

Index: OXT260DEPC.S3.MC\_EO  
EAN: 5901703830718

**WHITE**

Index: OXT250DEP.S3.BI\_EO  
EAN: 5901703830695

Index: OXT260DEP.S3.BI\_EO  
EAN: 5901703830725



Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Noise Level [dB(A)]  
Number of working speeds

Wall-mounted Chimney  
50/60 cm  
Painted Black/White, Satin Steel  
Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]  
VR 220  
Mechanical  
1 x LED 5W (3800K) led strip  
C  
310  
47-63  
3

50 ↔ 60 ↔

## VELA 2 50/60

**SATIN**

Index: OVL250DEP.S3.SA\_EO  
EAN: 5901703839285

Index: OVL260DEP.S3.SA\_EO  
EAN: 5901703839292

**BLACK**


Index: OVL250DEPC.S3CZ.MC\_EO  
EAN: 5901703835997

Index: OVL260DEPC.S3CZ.MC\_EO  
EAN: 5901703836017

**WHITE**

Index: OVL250DEP.S3.BI\_EO  
EAN: 5901703835980

Index: OVL260DEP.S3.BI\_EO  
EAN: 5901703836000



Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Noise Level [dB(A)]  
Number of working speeds

Wall-mounted Chimney  
50/60cm  
Lacquered steel Black/White  
Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]  
VR 220  
Mechanical  
1 x LED 5W (3800K) led strip  
C  
320  
42-58  
3

60 ↔



## SIENA SOFT 60

BLACK

Hood type	Wall-mounted Chimney
Width	60 cm
Finishing of the hood	Painted steel
Operating mode	Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]
Dedicated plasma filter	VR 180
Control	Electronic with display + remote control
Lighting	2 x LED 3W (GU10)
Energy class	C
Max capacity [m3/h]	305
Noise Level [dB(A)]	52-63
Number of working speeds	3

Index: OSIEN60L4SW.S3.MC\_EO  
EAN: 5901703828876



60 ↔




## REGA DUO 60

BLACK

Hood type	Wall-mounted Chimney
Width	60 cm
Finishing of the hood	Black glass
Operating mode	Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]
Dedicated plasma filter	VR 180
Control	Mechanical
Lighting	2 x LED 3W (GU10)
Energy class	C
Max capacity [m3/h]	300
Noise Level [dB(A)]	51-63
Number of working speeds	3

Index: OREGD60D4PC.S3.MC.KSGB  
EAN: 5901703823048



50 ↔

60 ↔

90 ↔

## VERTICAL 2 50/60/90

**SATIN**

50 ↔

Index: OVERP50LEP.S3.SA.KSB.KS\_EO  
EAN: 5901703830428

60 ↔

Index: OVERP60LEP.S3.SA.KSB.KS\_EO  
EAN: 5901703830459

90 ↔

Index: OVER90LEP.S3.SA.KSB.KS\_EO  
EAN: 5901703830503**BLACK**

50 ↔

Index: OVERP50LEPC.S3.MC.KSB\_EO  
EAN: 5901703830411

60 ↔

Index: OVERP60LEPC.S3.MC.KSB\_EO  
EAN: 5901703830435


90 ↔

Index: OVER90LEPC.S3.MC.KSB\_EO  
EAN: 5901703830497**WHITE**

50 ↔

Index: OVERP50LEP.S3.BI.KSW\_EO  
EAN: 5901703830404

60 ↔

Index: OVERP60LEP.S3.BI.KSW\_EO  
EAN: 5901703830442

Hood type

Width

Finishing of the hood

Operating mode

Dedicated plasma filter

Control

Lighting

Energy class

Max capacity [m<sup>3</sup>/h]

Noise Level [dB(A)]

Number of working speeds

Wall-mounted Chimney

50/60/90 cm

Painted steel/glass

Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]

VR 180

Mechanical

1 x LED 5W (3800K) led strip

B

310

42-62

3



50 ↔

60 ↔

## VERTICAL PG 50/60

**SATIN**

50 ↔

Index: OVERP50D4P.S3.SA.KSB.KS  
EAN: 5901703835065

60 ↔

Index: OVERP60D4P.S3.SA.KSB.KS  
EAN: 5901703835089

**BLACK**

50 ↔

Index: OVERP50D4PC.S3.MC.KSB  
EAN: 5901703835041

60 ↔

Index: OVERP60D4PC.S3.MC.KSB  
EAN: 5901703835072


**WHITE**

50 ↔

Index: OVERP50D4P.S3.BI.KSW  
EAN: 5901703835034

60 ↔

Index: OVERP60D4P.S3.BI.KSW  
EAN: 5901703835065



Hood type

Width

Finishing of the hood

Operating mode

Dedicated plasma filter

Control

Lighting

Energy class

Max capacity [m3/h]

Noise Level [dB(A)]

Number of working speeds

Wall-mounted Chimney

50/60 cm

Painted steel/glass

Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]

VR 180

Mechanical

2 x LED 3W (GU10)

C

320

48-63

3

60 ↔

**BRAVO 60****BLACK**

Hood type

Width

Finishing of the hood

Operating mode

Dedicated plasma filter

Control

Lighting

Energy class

Max capacity [m3/h]

Noise Level [dB(A)]

Number of working speeds

Wall-mounted Chimney

60 cm

Painted glass

Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]

VR 180

Mechanical

2 x LED 3W (GU10)


C

325


47-61

3

Index: OBRA60D4PC.S3.MC.KSB  
EAN: 5901703824649



60 ↔




## VERTICAL GLASS TOUCH 60

BLACK

Hood type	Wall-mounted Chimney
Width	60 cm
Finishing of the hood	Painted steel/glass
Operating mode	Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]
Dedicated plasma filter	VR 180
Control	Touch/Sensor illuminated icons
Lighting	2 x LED 3W (GU10)
Energy class	C
Max capacity [m3/h]	135 - 320
Noise Level [dB(A)]	48 - 63
Number of working speeds	3

Index: OVERG60D4UW.S3.MC.KSB  
EAN: 5901703837724

60 ↔




## VERTICAL GLASS 60

BLACK

Hood type	Wall-mounted Chimney
Width	60 cm
Finishing of the hood	Painted steel/glass
Operating mode	Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]
Dedicated plasma filter	VR 180
Control	Mechanical
Lighting	2 x LED 3W (GU10)
Energy class	C
Max capacity [m3/h]	135 - 320
Noise Level [dB(A)]	48 - 63
Number of working speeds	3

Index: OVERG60D4PC.S3.MC.KSB  
EAN: 5901703837717

60 ↔




## RODO 60

BLACK

Hood type	Wall-mounted Chimney
Width	60cm
Finishing of the hood	Black glass
Operating mode	Exhaust or absorber [ 2 FDUEEL carbon filters required ]
Dedicated plasma filter	VR 220
Control	Touch/Sensor illuminated icons
Lighting	1 x LED 5W (3800K) led strip
Energy class	B
Max capacity [m3/h]	580
Noise Level [dB(A)]	57-68
Number of working speeds	3

Index: OROD60JEUW.S3.MC.KSB\_EO  
EAN: 5901703830602

60 ↔




## RODO MINI 60

BLACK

Hood type	Wall-mounted Chimney
Width	60 cm
Finishing of the hood	Tempered glass
Operating mode	Exhaust or absorber [ 2 FDUEEL carbon filters required ]
Dedicated plasma filter	VR 180
Control	Mechanical
Lighting	1 x LED 5W (3800K) led strip
Energy class	C
Max capacity [m3/h]	310
Noise Level [dB(A)]	49-62
Number of working speeds	3

Index: ORODM60LEPC.S3.MC.KSB\_EO  
EAN: 5901703835287

60 ↔



## KOMODA NEO 60

BLACK

Hood type	Wall-mounted Chimney
Width	60 cm
Finishing of the hood	Painted steel/glass
Operating mode	Exhaust or absorber [ FWOR charcoal filter required ]
Dedicated plasma filter	VR 220
Control	Touch/Sensor illuminated icons
Lighting	1 x LED 5W (3800K) led strip
Energy class	B
Max capacity [m3/h]	610
Noise Level [dB(A)]	51-69
Number of working speeds	3

Index: KOMN60JEUW.S3CZ.MC.SB\_EO  
EAN: 5901703829002



80 ↑

30 ↔

## PONZA W 830

**GOLDEN GLOSS**

OPONW830LESW.S3CZ.SA.ZL3.2L\_EO  
EAN: 5901703836499

**BLACK**

OPONW830LESW.S3CZ.MC.2L\_EO  
EAN: 5901703836482

**COPPER GLOSS**



OPONW830LESW.S3CZ.SA.M3.2L\_EO  
EAN: 5901703836505

**SATIN**

OPONW830LESW.S3.SA.2L\_EO  
EAN: 5901703836468

**WHITE**

OPONW830LESW.S3.BI.2L\_EO  
EAN: 5901703836475



Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m<sup>3</sup>/h]  
Noise Level [dB(A)]  
Number of working speeds


Wall-mounted Chimney  
30 cm  
Painted steel  
Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]  
VR 180  
Electronic Soft Touch + remote control  
2 x LED 5W (3800K) led strip  
C  
275  
50-60  
3




70 ↑

31 ↔



## ELBA 2 W731

**GOLDEN GLOSS**OELBW731D4KS.S3CZ.SA.ZL3\_EO  
EAN: 5901703838349**BLACK**OELBW731D4KS.S3CZ.MC\_EO  
EAN: 5901703838332**COPPER GLOSS**OELBW731D4KS.S3CZ.SA.M3\_EO  
EAN: 5901703838356**SATIN**OELBW731D4KS.S3.SA\_EO  
EAN: 5901703838318**WHITE**OELBW731D4KS.S3.BLEO  
EAN: 5901703838325

widok z góry



montaż



Hood type

Width

Finishing of the hood

Operating mode

Dedicated plasma filter

Control

Lighting

Energy class

Max capacity [m<sup>3</sup>/h]

Noise Level [dB(A)]

Number of working speeds

Wall-mounted Chimney

31 cm

Painted steel

Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]

VR 180

Electronic Soft Touch + remote control

2 x LED 3W (GU10)

C

300

47-61

3






80 ↑

39 ↔

## ELBA 2 W835

**GOLDEN GLOSS**

OELBW835J4KS.S3CZ.SA.ZL3\_EO  
EAN: 5901703839025

**BLACK**

OELBW835J4KS.S3CZ.MC\_EO  
EAN: 5901703839001

**COPPER GLOSS**


OELBW835J4KS.S3CZ.SA.M3\_EO  
EAN: 5901703839032

**SATIN**

OELBW835J4KS.S3.SA\_EO  
EAN: 5901703839018

**WHITE**

OELBW835J4KS.S3.BL\_EO  
EAN: 5901703838998



Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m<sup>3</sup>/h]  
Noise Level [dB(A)]  
Number of working speeds

Wall-mounted Chimney  
35 cm  
Painted steel  
Exhaust or absorber [ 2 FDUEEL carbon filters required ]  
VR 220  
Electronic Soft Touch + remote control  
2 x LED 3W (GU10)  
B  
245 – 580  
49-62  
4





70 ⇅

31 ⇄

## ELBA WPB 731

**GOLDEN GLOSS**

OELBW731D4PC.S3CZ.SA.ZL3\_EO  
EAN: 5901703837267

**BLACK**

OELBW731D4PC.S3CZ.MC\_EO  
EAN: 5901703838882

**COPPER GLOSS**


OELBW731D4PC.S3CZ.SA.M3\_EO  
EAN: 5901703837274

**SATIN**

OELBW731D4P.S3.SA\_EO  
EAN: 5901703837243

**WHITE**

OELBW731D4P.S3.BLEO  
EAN: 5901703837250



Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m<sup>3</sup>/h]  
Noise Level [dB(A)]  
Number of working speeds



Wall-mounted Chimney  
31 cm  
Painted steel  
Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]  
VR 180  
Mechanical  
2 x LED 3W (GU10)  
C  
300  
47-61  
3



80 ↑

39 ↔

## ELBA WPB 835

**GOLDEN GLOSS**OELBW835I4PC.S3CZ.SA.ZL3\_EO  
EAN: 5901703839254**BLACK**OELBW835I4PC.S3CZ.MC\_EO  
EAN: 5901703839223**COPPER GLOSS**OELBW835I4PC.S3CZ.SA.M3\_EO  
EAN: 5901703839261**SATIN**OELBW835I4P.S3.SA\_EO  
EAN: 5901703839247**WHITE**OELBW835I4P.S3.BI\_EO  
EAN: 5901703839230

Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m<sup>3</sup>/h]  
Noise Level [dB(A)]  
Number of working speeds

Wall-mounted Chimney  
35 cm  
Painted steel  
Exhaust or absorber [ 2 FDUEEL carbon filters required ]  
VR 180  
Mechanical  
2 x LED 3W (GU10)  
C  
155 - 395  
47-66  
3






40 ↑

30 ↔

## PONZA MINI WPB 430

**GOLDEN GLOSS**OPONW430LEPC.S3CZ.SA.ZL3.2L\_EO  
EAN: 5901703837915**BLACK**OPONW430LEPC.S3CZ.MC.2L\_EO  
EAN: 5901703837908**COPPER GLOSS**OPONW430LEPC.S3CZ.SA.M3.2L\_EO  
EAN: 5901703837922**SATIN**OPONW430LEP.S3.SA.2L\_EO  
EAN: 5901703837885**WHITE**OPONW430LEP.S3.BI.2L\_EO  
EAN: 5901703837892

Hood type  
Width  
Finishing of the hood  
Operating mode  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Noise Level [dB(A)]  
Number of working speeds




Wall-mounted Chimney  
50/60 cm  
Satin steel  
Exhaust or absorber [ 2 FWMGPZ carbon filters required ]  
Mechanical  
2 x LED 5W (3800K) led strip  
C  
310  
50-60  
3



40 ↕

31 ↔

## ELBA MINI WPB 431

**GOLDEN GLOSS**OELBW431D4PC.S3CZ.SA.ZL3\_EO  
EAN: 5901703837861**BLACK**OELBW431D4PC.S3CZ.MC\_EO  
EAN: 5901703837847**COPPER GLOSS**OELBW431D4PC.S3CZ.SA.M3\_EO  
EAN: 5901703837878**SATIN**Index: OELBW431D4P.S3.SA\_EO  
EAN: 5901703837830**WHITE**Index: OELBW431D4P.S3.BI\_EO  
EAN: 5901703837854

Hood type

Width

Finishing of the hood

Operating mode

Dedicated plasma filter

Control

Lighting

Energy class

Max capacity [m<sup>3</sup>/h]

Noise Level [dB(A)]

Number of working speeds

Wall-mounted Chimney

31 cm

Painted steel

Exhaust or absorber [ 2 FWMGPZ charcoal filters required ]

VR 180

Mechanical

2 x LED 3W (GU10)

C

300

47-61

3





## Island hoods



40 ↔ 79,5 – 115,5 ↑

## MUREA 40



### BLACK

Index: OMUR40HFSW.S7.MC.KSB\_EO  
EAN: 5901703829798



### WHITE

Index: OMUR40HFSW.S7.BI.KSW\_EO  
EAN: 5901703829804




### GOLDEN GLOSS

Index: OELBW731D4PC.S3CZ.MC\_EO  
EAN: 5901703836123



### COPPER GLOSS

Index: OMUR40HFSW.S7.SA.M3.KSB\_EO  
EAN: 5901703836185



Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Noise Level [dB(A)]  
Number of working speeds

Island  
40 cm  
Painted steel + glass  
Exhaust or absorber [FWOR filter required]  
VR 220  
Electronic Soft Touch + remote control  
2 x LED 5W (3800K) led strip  
A  
720  
47-61  
4



31 ↔ 87,5-111,5 ↓

## ELBA PB 31



### BLACK

Index: OELB31D4PC.S3CZ.MC\_EO  
EAN: 5901703838899



### WHITE

Index: OELB31D4P.S3.BI\_EO  
EAN: 5901703837335




### COPPER GLOSS

Index: OELB31D4PC.S3CZ.IN.SA2.M3\_EO  
EAN: 5901703837359



### GOLDEN GLOSS

Index: OELB31D4PC.S3CZ.IN.SA2.ZL3\_EO  
EAN: 5901703837342



Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Noise Level [dB(A)]  
Number of working speeds

Island  
31 cm  
Painted steel  
Exhaust or absorber [ Requires 2 FWMGPZ charcoal filters ]  
VR 180  
Mechanical  
2 x LED 3W (Gu10)  
C  
300  
47-61  
3



31 ↔ 87,5-111,5 ↓

## ELBA 2 31



**BLACK**  
OELB31D4KS.S3CZ.MC\_EO  
EAN: 5901703838370




**WHITE**  
OELB31D4KS.S3.BI\_EO  
EAN: 5901703838363



**COPPER GLOSS**  
OELB31D4KS.S3CZ.IN.SA2.M3\_EO  
EAN: 5901703838394



**GOLDEN GLOSS**  
OELB31D4KS.S3CZ.IN.SA2.ZL3\_EO  
EAN: 5901703838387




Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Noise Level [dB(A)]  
Number of working speeds

Island  
31 cm  
Painted steel  
Exhaust or absorber [ Requires 2 FWMGPZ charcoal filters ]  
VR 180  
Electronic Soft Touch + remote control  
2 x LED 3W (GU10)  
C  
300  
47-61  
3



45 ↔

## RONDA 45



Hood type  
Width  
Finishing of the hood  
Operating mode  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Noise Level [dB(A)]  
Number of working speeds

Island  
45 cm  
Black glass  
Absorber [ 2 FDUEEL carbon filters required ].  
Touch/Sensor, illuminated icons + remote control  
4 x LED 3W (Gu10)  
B  
590  
47-59  
4

**BLACK**  
Index: ORONI45J4RW.S3.MC.SB\_EO  
EAN: 5901703829781



31 ↔ 80-107 ↕

## ELBA 2 39



**BLACK**  
OELB39J4KS.S3CZ.MC\_EO  
EAN: 5901703838431



**WHITE**  
OELB39J4KS.S3.BLEO  
EAN: 5901703838424




**COPPER GLOSS**  
OELB39J4KS.S3CZ.IN.SA2.M3\_EO  
EAN: 5901703838462



**GOLDEN GLOSS**  
OELB39J4KS.S3CZ.IN.SA2.ZL3\_EO  
EAN: 5901703838455



**SATIN**  
OELB39J4KS.S3.SA\_EO  
EAN: 5901703838448



Hood type  
Width  
Finishing of the hood  
Operating mode  
Dedicated plasma filter  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Noise Level [dB(A)]  
Number of working speeds

Island  
39 cm  
Painted steel  
Exhaust or absorber [ Requires 2 FDUEEL carbon filters ].  
VR 220  
Electronic Soft Touch + remote control  
2 x LED 3W (GU10)  
B  
605  
49-62  
4





# UNDERCABINET HOODS



50 ↔

60 ↔

## JUNO 50/60



### BLACK

50 ↔

Index: OP3050.MC\_EO  
EAN: 5901703836857

60 ↔

Index: OP3060.MC\_EO  
EAN: 5901703836031



### SATIN

50 ↔

Index: OP3050.SA\_EO  
EAN: 5901703836871

60 ↔

Index: OP3060.SA\_EO  
EAN: 5901703836840




### WHITE

50 ↔

Index: OP3050.BI\_EO  
EAN: 5901703836864

60 ↔

Index: OP3060.BI\_EO  
EAN: 5901703836048



Hood type  
Width  
Finishing of the hood  
Operating mode  
Control  
Lighting  
Energy class  
Max capacity [m3/h]  
Noise Level [dB(A)]  
Number of working speeds


Undercabinet  
50 cm / 60 cm  
Painted steel  
Exhaust or absorber [ carbon filter FP3060 required ]  
Mechanical  
LED filamentowe 4W  
C  
285  
59-71  
3




INDUCTION HOBS

INDUCTION HOBS

Dimensions	52 × 59 × 6,2 cm
Color	Black
Heating zones	4
Combination of heating fields	Yes
Type of control	Touch
Booster	Yes
Plate frame material	Frameless
Timer	Yes
Child lock	Yes
Pot presence detection	Yes
Power front left zone	2000/boost2400
Power left rear zone	1600/boost2000
Power of right front zone	1600W/2000W
Power right rear zone	2000W/2400W
Cutout dimensions W	495
S notch dimensions	565
G cutout dimensions	58
Total power consumption	7200



Index: PIND604LRC1.CZ.FZ\_EO  
EAN: 5901703838011



Model	L(mm)	W(mm)	H(mm)	D(mm)	A(mm)	B(mm)	X(mm)
PIND604LRC1.CZ.FZ	590	520	62	58	565	495	50mini

INDUCTION HOB CAPS



Index: NAKSAT.MC.52\_EO  
EAN: 5901703839094

Maan has prepared an innovative solution for its customers - overlays for the side edges of Maan induction hobs. The overlays are designed to protect the side glass edges of the hob which can be damaged when preparing food on the worktop into which the hob is installed. They are especially useful if you have a small working area of the kitchen countertop in the vicinity of the hob.

They are also decorative elements that give the plate a different design.

## DESCRIPTION

Płyta Maan posiada wszystkie niezbędne funkcje aby gotowanie było zawsze przyjemnością i pozwoliło ci zaoszczędzić czas, który możesz spędzić z rodziną.

### Combining cooking fields, even more possibilities.

The hob is equipped with 4 heating fields, which allow you to prepare meals for the whole family. In addition, the appliance has a function for combining two fields, giving you even more possibilities.

Combining fields into a large Flexi Zone induction zone allows you to prepare food in larger dishes. This makes it possible to use very large pots, grill pans or baking pans on it ( the cookware must be suitable for cooking on induction hobs), and thus cook meals for more people.

### Intuitive and modern Slider Circle touch control.

Touch control is a very convenient and simple solution. It is also a safe to use option. Such control additionally makes it easier to clean the hob after cooking. Maan induction cooktop has Circle Slider control which gives the cooktop a unique design and allows smooth control of the heating power of the fields.

### PowerBoost function.

Maan induction cooktop has a PowerBoost function for all heating fields. The PowerBoost function is used to increase the hob's heating power, allowing it to reach the desired temperature faster and reduce cooking time. This is especially useful when heating large amounts of water quickly or preparing food that requires high temperatures.

Ochrona i bezpieczeństwo.

For the protection of users, the hob has been equipped with a pot presence detection function, so that it will automatically turn off when there is no pot on the hob. The child lock is another level of protection, preventing the youngest household members from turning the hob on unwantedly.





## Accessories



Full list of accessories  
at [www.maan.pl](http://www.maan.pl)



## CARBON FILTERS




**Carbon filter  
FWMGPZ  
13 cm**

Index: FWMGPZ  
EAN: 5901703813551



**Carbon filter  
FDUEEL  
17,5 cm**

Index: FDUEEL  
EAN: 5902634865190



**Carbon filter  
FWOR MAAN  
for hood  
Komoda Neo, Murea**

Index: FWOR  
EAN: 5901703835713



**Carbon filter  
+ FWORNAK cover plate  
for hood Ares, Tetyda,  
Tetyda Touch**

Index: FWORNAK  
EAN: 5901703834570



**Carbon filter FWPO  
for hood MAAN  
Juki, Cubo**

Index: FWPO  
EAN: 5901703802128



**Carbon filter  
FP3060  
for hood Juno**

Index: FP3060\_EO  
EAN: 5901703836093

## AIR BLADES



**Direction  
air control  
for Elba canopy  
island 39 cm**

Index: KIERPOWELBA390  
EAN: 5901703834563



**Steering wheel  
air guide for  
island hood  
Murea**

Index: KIERPOWMUREA  
EAN: 5901703827800



**Steering wheel  
air guide for  
Elba canopy  
wall mounted W731**

Index: KIERPOWELBA\_W3  
EAN: 5901703834549



**Direction  
air control  
for Elba canopy  
wall mounted W39**

Index: KIERPOWELBA\_W390  
EAN: 5901703834556









**Direction  
air control  
for Elba canopy  
island 31 cm**

Index: KIERPOWELBA 310  
EAN: 5901703827893









## TUBA HOOD EXTENSIONS - ELBA W731




	<b>Black color</b>	Index: PRZED_KOMELBW731_MC EAN: 5901703836888
	<b>Satin color</b>	Index: PRZED_KOMELBW731_SA EAN: 5901703836895
	<b>White color</b>	Index: PRZED_KOMELBW731_BI EAN: 5901703836901
	<b>Copper gloss color</b>	Index: PRZED_KOMELBW731_SA.M3 EAN: 5901703836925
	<b>Golden gloss color</b>	Index: PRZED_KOMELBW731_SA.ZL3 EAN: 5901703836918

## TUBA HOOD EXTENSIONS - ELBA W839




	<b>Black color</b>	Index: PRZED_KOMELBW39_MC EAN: 5901703836932
	<b>Satin color</b>	Index: PRZED_KOMELBW39_SA EAN: 5901703836949
	<b>White color</b>	Index: PRZED_KOMELBW39_BI EAN: 5901703836956
	<b>Copper gloss color</b>	Index: PRZED_KOMELBW39_SA.M3 EAN: 5901703836970
	<b>Golden gloss color</b>	Index: PRZED_KOMELBW39_SA.ZL3 EAN: 5901703836963




## TUBA HOOD EXTENSIONS - ELBA W835



	<b>Black color</b>	Index: PRZED_KOMELBW35_MC EAN: 5901703839414
	<b>Satin color</b>	Index: PRZED_KOMELBW35_SA EAN: 5901703839421
	<b>White color</b>	Index: PRZED_KOMELBW35_BI EAN: 5901703839438
	<b>Copper gloss color</b>	Index: PRZED_KOMELBW35_SA.M3 EAN: 5901703839452
	<b>Golden gloss color</b>	Index: PRZED_KOMELBW35_SA.ZL3 EAN: 5901703839445

## TUBA HOOD EXTENSIONS - MALWA W839



	<b>Black color</b>	Index: PRZED_KOMMALW39_MC EAN: 5901703839469
	<b>Copper gloss color</b>	Index: PRZED_KOMMALW39_SA.M3 EAN: 5901703836994
	<b>Golden gloss color</b>	Index: PRZED_KOMMALW39_SA.ZL3 EAN: 5901703836987

## PLASMA FILTERS

**Vertical plasma filter VR 180**

VR180 – filters to 400m<sup>3</sup>/h  
– size ø165mm x 200mm

Index: VR180  
EAN: 5901703837632

**Vertical plasma filter VR 220**

VR220 – filters to 600m<sup>3</sup>/h  
– size ø165mm x 240mm

Index: VR220  
EAN: 5901703837649

**Vertical plasma filter VR 280**

VR280 – filters to 800m<sup>3</sup>/h  
– size ø165mm x 300mm

Index: VR280  
EAN: 5901703837656

**Vertical plasma filter VR 350**

VR350 – filters to 1000m<sup>3</sup>/h  
– size ø165mm x 370mm

Index: VR350  
EAN: 5901703837663

**Filter features:****Quiet**

The VIKICKS filter makes no sound, and even has a dampening effect. All you will hear is the noise of the hood itself, and even less compared to a charcoal filter.

**For any hood**

The VIKICKS filter is available for almost any extraction system. This means you don't have to worry about whether the filter will fit or not.

**Quick installation**

VIKICKS filters are very easy to install. All you have to do once it's in place is plug it in.

**Recycling**

The VIKICKS filter recirculates air, making the exhaust duct unnecessary and saving on heating costs.

**Clean air for years to come**

The VIKICKS filter requires replacement only once every five years. This is quite a difference compared to, for example, a carbon filter, which needs to be replaced every year. The VIKICKS filter comes with a two-year warranty.

**Lifespan of the product**

5 years, (2-year warranty)

**Power**

240V, 0.5 watts







---

**Office**

Millennium Logistic Park Pruszków  
ul. 3-Maja 8/Budynek B3  
05-800 Pruszków, Polska

**Warehouse**

Millenium Logistic Park Pruszków  
ul. 3-Maja 8/Budynek B1  
05-800 Pruszków, Polska  
Czynne Pon.-Pt. 6.00-16.00

**Reception**

tel. +48 22 738 39 86  
Czynne Pon.-Pt. 8.00-16.00

**Helpline:** tel. 600917917  
Czynne Pon.-Pt. 8.00-16.00

**E-mail**

[info@maan.pl](mailto:info@maan.pl)

**Registration data**

Maan Sp. z o.o.  
Podole 9,  
05-600 Grójec

NIP: 797-198-06-19  
REGON: 141330515  
KRS: 0000299475